

# Work Order ID 50368

July 13, 2009 12:26:21 PM

Page 1

Item ID: D2932-2

Accept

Revision ID: C

Item Name: Saddle RH Out, 206

Start Date: 7/15/09 Start Qty: 6.00

Required Date: 7/15/09 Req'd Qty: 6.00

Reference:

*09-07-16*

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D2932

Rev C

100

0.00



HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.00

HAAS CNC vertical machine #1

Program part number and batch number. 1-Inspect part number and batch number are programmed correctly. 12-Machine Step No 1 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet 13-Machine Step No 2 of Folio and visually inspect as per

*mmf 09/07/24*

*B46410*

*6*

110

0.00



CONVENTIONAL MILLING MACHINE

Mill Conv

Memo

0.00

Conventional Milling Machine

Machine Keyway and inspect per attached dimension sheet

*mmf 09/07/24*

*B46410*

*6*

120

QC1- Inspect dimensions to dimension sheet

0.00



QC

Memo

0.00

Quality Control

*mmf 09/07/24*

*6*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Work Order ID 50368

July 13, 2009 12:26:21 PM



Page 2

Item ID: D2932-2

Accept



Setup Start



Revision ID: C

Stop



Item Name: Saddle RH Out, 206

Start Date: 7/15/09 Start Qty: 6.00



Cust Item ID:

Required Date: 7/15/09 Req'd Qty: 6.00



Customer:

Reference:

Run Start



Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 	QC8- Inspect parts - second check	0.00							
QC Quality Control	Memo	0.00							H.A 09/07/24 (G)
140 	Chemical Conversion Coat per QSI005 4.1	0.00							
HandFinish Hand Finishing	Memo	0.00							H 09-07-27 (X6)
150 	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
Powdercoat Powder Coating	Memo START TIME: 8:40 FINISH TIME: 9:10	0.00							BL 09-07-27 (G)

OVEN TEMPERATURE:

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 50368

July 13, 2009 12:26:21 PM

Page 3

Item ID: D2932-2

Accept

Revision ID: C

Item Name: Saddle RH Out, 206

Start Date: 7/15/09 Start Qty: 6.00

Required Date: 7/15/09 Req'd Qty: 6.00

Reference:

Cust Item ID:

Customer:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

160

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

JE

09-07-27

06

170

Identify as per dwg & Stock Location:

0.00



Packaging

Memo

0.00

Packaging

9/1/27

6x SP

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

09/07/28

u 9.07.27

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

July 13, 2009 12:26:21 PM

Work Order ID: 50368



Parent Item: D2932-2RevC



Parent Item Name: Saddle RH Out, 206

Start Date: 7/15/09

Required Date: 7/15/09

Comments:

Start Qty: 6.00

Required Qty: 6.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D6101-003RevA		Manufactured	No			100	Each	43.0000	6.0000			

Saddle Billet, 7075

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

MAT

46410

43

43

846410

6

met 09/07/23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



<b>DART AEROSPACE LTD</b>	<b>Work Order:</b> 50368
<b>Description:</b> 206 Saddle, Outboard, Right side	<b>Part Number:</b> D2932-2
<b>Inspection Dwg:</b> D2932 Rev. C	<b>Page 1 of 1</b>

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		.127	.130	.127	.131		
B	0.100	0.140		.126	.130	.130	.132		
C	0.100	0.140		.106	.107	.113	.127		
D	0.210	0.230		.230	.230	.230	.130		
E	1.245	1.255		1.249	1.249	1.250	1.250		
F	1.245	1.255		1.249	1.251	1.250	1.249		
G	2.495	2.505		2.501	2.500	2.501	2.500		
H	0.510	0.515		.510	.510	.510	.510		
I	1.572	1.582		1.575	1.575	1.575	1.575		
J	2.495	2.505		2.497	2.499	2.500	2.499		
K	0.257	0.262		.259	.260	.260	.258		
L	0.312	0.317		.314	.314	.314	.316		
M	0.235	0.240		.237	.238	.238	.236		
N	0.100	0.140		.110	.108	.110	.109		
O	0.540	0.560	*	.560	.550	.554	.546		
P	0.490	0.510		.502	.499	.504	.504		
Q	3.715	3.725		3.715	3.717	3.715	3.717		
R	2.470	2.510		2.488	2.490	2.487	2.490		
S	0.240	0.270		.252	.257	.263	.261		
T	0.100	0.180		.130	.127	.123	.123		
U	1.625	1.635		1.626	1.627	1.628	1.625		
V	1.362	1.372		1.365	1.364	1.364	1.365		
W	0.316	0.321		.320	.320	.320	.320		
X	1.125	1.145		1.144	1.137	1.134	1.133		
Y	1.565	1.585		1.580	1.576	1.570	1.568		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: <i>mmf</i>
Date: 09/07/23

Audited by: <i>H.A</i>
Date: 09/07/24

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	<i>[Signature]</i>

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b>	<b>50368</b>
<b>Description: 206 Saddle, Outboard, Right side</b>	<b>Part Number:</b>	<b>D2932-2</b>
<b>Inspection Dwg: D2932 Rev. C</b>		<b>Page 1 of 1</b>


Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		.136	.138				
B	0.100	0.140		.134	.133				
C	0.100	0.140		.125	.125				
D	0.210	0.230		.230	.230				
E	1.245	1.255		1.245	1.250				
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.499				
H	0.510	0.515		.510	.510				
I	1.572	1.582		1.576	1.576				
J	2.495	2.505		2.498	2.499				
K	0.257	0.262		.258	.258				
L	0.312	0.317		.313	.313				
M	0.235	0.240		.236	.236				
N	0.100	0.140		.110	.110				
O	0.540	0.560		.546	.545				
P	0.490	0.510		.503	.501				
Q	3.715	3.725		3.717	3.716				
R	2.470	2.510		2.489	2.488				
S	0.240	0.270		.263	.262				
T	0.100	0.180		.125	.127				
U	1.625	1.635		1.626	1.626				
V	1.362	1.372		1.366	1.366				
W	0.316	0.321		.320	.320				
X	1.125	1.145		1.134	1.134				
Y	1.565	1.585		1.571	1.571				
Z	0.178	0.198		.188	.188				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									


Measured by:	<i>mmf</i>
Date:	05/07/24

Audited by:	<i>M. A</i>
Date:	09/07/24


Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM <i>JA</i>	<i>JA</i>




SECTION A-A



VIEW C-C



SECTION B-B



D2932-1 LH SADDLE (SHOWN)  
D2932-2 RH SADDLE (OPPOSITE)

50368

- NOTES:
- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12) (MAKE FROM D6101-003 SADDLE BILLET, 7075)
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
  - 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
  - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
  - 5) ALL DIMENSIONS ARE IN INCHES
  - 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP

C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	4	DRAWN BY CB
CHECKED	PH	APPROVED
DATE	06.11.09	TITLE
		SADDLE OUTSIDE
		REV. C
		SHEET 1 OF 1
		SCALE
		2:3

COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

RELEASED  
07-02-12